

XTREME

Ignifugazione (standard e su richiesta) *Fire Standards (in stock and on demand)*

Country	Standard	Requirements fulfilled by STANDARD leather in stock
Europe	EN 1021-1 and -2 (April 2006)	Part 1 no ignition Part 2 no ignition
U.K.	BS 5852 (2006)	Hazard level Low: Domestic, Schools, Offices Source 1 - Source 2 -Source 3
France	NF D 60-013	Conform
U.S.A.	NFPA 260:2009	Class I of cover fabric classification
U.S.A.	California TB 117:2013	Pass - Section 1 - Cover material test
IMO	IMO res. A.652 MSC 8/26/add.2 (2010 FTP code) Annex 1 part 8	Upholstered furniture Med Item N° A.1/3.20 - USG Category N° 164.144 Certificate MED039313CS/002 module B Certificate MED017013TS/002 module D
Coaches	ECE Regulation 118	ECE R 118.02 Annex 6, Annex 7, E/ECE/324 E/ECE/TRANS/505 Rev.2/Add.117

Country	Standard	Requirements fulfilled only ON DEMAND (10 hides min.)
Austria	ONORM 3800-1	B1 flame retardant Q1 light smoke emission T1 non dripping
U.K.	BS 5852 (2006)	Crib 5 Medium Hazard Crib 7 High Hazard
Germany	DIN 4102-1 (May 1998)	(B1) DIN 4102 Parts 15/16 – Brandschacht - Including (B2) DIN 4102 Part 1 - Kleinbrenner
Switzerland	SN 198'898 (1987)	Classification 5.3 "Schwerbrennbar / schwache Qualmbildung)
France	NF P 92-203	Classification M2
Italy	UNI 9175	Class 1 IM
Spain	UNE 23-727-90	Classification M 1
Russia	Federal law 123-FZ dd. 27 July 2008 "Technical Regulations for fire safety requirements"	Hardly flammable according to GOST R 50810-95, Slowly propagates flame according VNPB-03 annex 2, Smoke toxicity T2 according GOST 12.1.044-89 p.4.20 Smoke density D3 according GOST 12.1.044-89 p.4.18
U.S.A.	Technical Bulletin 133	Conform (Mock-UP according TB133 and BS-V leather with FB)
IMO	IMO res. MSC.61(67)-(FTP Code) Annex 1 Part 2 and Annex 1 Part 5	Surface materials and floor coverings with low spread characteristics –(A) Decorative veneers Med Item N° A.1/3.18a - USG Category N° 164.112 Certificate MED039313CS/001 module B Certificate MED017013TS/001 module D

Coaches	ECE Regulation 118	ECE R 118.02 Annex 8 E/ECE/324 E/ECE/TRANS/505 Rev.2/Add.117
Note	Most standards require a composite testing of the Upholstery material and foam used. Therefore the above-mentioned results are indicative of the composite tested, different foams or padding materials may give a different result.	