

Legend

Legenda



All dimensions are expressed in millimeters
Tutte le dimensioni sono espresse in millimetri



Product suitable for outdoor use
Prodotto adatto per utilizzo in esterni



Product not recommended for outdoor use
Prodotto non adatto per utilizzo in esterni



Luminous product
Prodotto luminoso



Declaration of European conformity
Dichiarazione di conformità Europea

Complements index

Indice complementi

PRODUCT NAME NOME PRODOTTO	PAGE PAGINA
Boxie	084
Brik	094
Flag	056
Iceberg	164
Igloo	150
Inox	080
Kado	106
Kuadro desk divider	020
Matrix desk divider	021
Oblique	136
Parenthesis	132
Ray	048
Snooze	008
Tetris	172
Toa Folding Screen	028
Voilà	074
Wow	120
Ypsilon Connect	036

Snooze

Sound wellness

DESIGN
Marcello Ziliani, 2016

EN— Snooze is a sound absorbing panel conceived to enhance comfort and improve the acoustic quality in office or public space. With a shape recalling the sound diffusers, it is composed by a core of thermoformed polyester fiber in variable densities and thicknesses with a central metal element that beside being a graphic sign allows an easy assembly and disassembly. It is possible the set-up of panels on the walls and on ceilings in groups or linear compositions.

IT— Snooze è un pannello fonoassorbente creato per rendere più accogliente e migliorare la qualità acustica di uffici e spazi pubblici. Con una forma che ricorda i diffusori acustici, è costituito da un'anima in fibra di poliestere termoformato di densità e spessore variabili con al centro un elemento metallico che, oltre ad essere un segno grafico, ne permette una facile installazione e disassemblaggio. Si può disporre su pareti e su soffitti con composizioni lineari o a gruppi.





Sound absorbing panel

Pannello
fonoassorbente

Removable covering,
available in different fabrics
Rivestimento sfoderabile,
disponibile in diversi tessuti



Thermoformed
polyester fiber core
Anima in fibra di
poliestere termoformato





Ironic Office

Orgatec 2016
Cologne, Germany

Project: Exhibition stand

Architect: CalviBrambilla

Product: Snooze sound absorbing panel,
Tweet side chair and barstool


Pedrali Solid Geometry

Salone Internazionale
del Mobile 2017
Milan, Italy

Project: Exhibition stand

Architect: CalviBrambilla

Products: Snooze sound absorbing panel,
Jazz armchair, Laja table





Transparent atmospheres

Stockholm Furniture & Light Fair 2018
Stockholm, Sweden

Project: Exhibition stand

Architect: Calvi Brambilla

Products: Snooze sound absorbing panel,
Babila armchair and table, Jazz armchair


SIZES / DIMENSIONI

SNZ01P

Sound absorbing panel



EXAMPLES OF COMBINATIONS / ESEMPI DI CONFIGURAZIONI



FINISHES / FINITURE

aluminum / alluminio

fabrics / tessuti



ST
Satinized
Satinato

→ see booklet for finishes
vedi catalogo finiture



CERTIFICATIONS / CERTIFICAZIONI

EN ISO 354:2003 Reverberation rooms - Sound test

EN ISO 354:2003 Camera riverberante, test acustico

UNI EN ISO 11654:1998 Rating of sound absorption

UNI EN ISO 11654:1998 Valutazione dell'assorbimento acustico

IMO CERTIFICATE / CERTIFICATO IMO

Test report 0056/DC/ACU17_3 / Rapporto di prova 0056/DC/ACU17_3

Kuadro desk divider

Sound acoustic comfort

DESIGN
Pedrali R&D, 2014

EN — Kuadro desk workstation is enriched with a practical sound absorbing divider panel. Upholstered in removable fabric and marked out by an inner steel frame, this accessory offers an optimal sound absorption performance.

IT — La scrivania operativa Kuadro desk si arricchisce di un pratico pannello divisorio fonoassorbente. Rivestito in tessuto sfoderabile e caratterizzato da una struttura perimetrale in acciaio, questo accessorio garantisce ottimali performance di isolamento acustico.

Kuadro desk
workstation
Scrivania Kuadro desk



Matrix desk divider

Sound acoustic comfort

DESIGN
Pedrali R&D, 2014

EN — The sound absorbing divider panels allows the correction of the acoustic and, at the same time, they define and separate the space inside co-working rooms and open-space offices. Matrix desk can also be equipped with partition screens covered in removable fabric.


IT — I pannelli divisorii fonoassorbenti consentono di ottenere una correzione acustica definendo e separando lo spazio all'interno di ambienti co-working e in uffici open space. Anche la scrivania Matrix è accessoriabile di schermi divisorii rivestiti in tessuto sfoderabile.

Matrix desk
workstation
Scrivania Matrix desk



Divider sound absorbing panel

Pannello divisorio
fonoassorbente





First Floor

Roè Volciano
Brescia, Italy

Project: Office

Products: Matrix desk with
divider sound absorbing panel,
Noa armchair

SIZES / DIMENSIONI


DSP

Divider sound absorbing panel



DSP/2

Divider sound absorbing panel



Suitable to be fixed to Quadro and Matrix desk workstation / Adatto per essere montato su scrivanie Quadro e Matrix

FINISHES / FINITURE

fabrics / tessuti

→ see booklet for finishes
vedi catalogo finiture



“Aesthetics, elegance
and clean design
are features that allow
you to decorate a wall”

PIO E TITO TOSO - FLAG WALL

“Estetica, eleganza
e pulizia formale sono
dettagli che permettono
di decorare una parete”

Toa Folding Screen

A table divider

DESIGN
Robin Rizzini, 2020

EN — The Toa Folding Screen is a sound absorbing desktop panel that separates and defines spaces. Designed to meet the mobility and layout requirements of modern work spaces. The inner metal structure is upholstered in fabric with a zip that makes it easy to remove, clean and maintain. It's also the perfect solution for home working spacial arrangements. Given that it is extremely lightweight, the screen can be folded with ease and moved from one place to another.

IT — Toa Folding Screen è un pannello divisorio fonoassorbente da tavolo in grado di definire e separare lo spazio. È pensato per rispondere alle esigenze di mobilità e configurabilità dei moderni working spaces. Una struttura di metallo rivestita in tessuto che, grazie alla presenza di una zip posta nella parte inferiore dello screen, è sfoderabile, facile da pulire e mantenere. In caso di smart working risulta inoltre uno strumento ottimale per ritagliarsi uno spazio all'interno del proprio contesto domestico. È pieghevole e leggero e può essere facilmente spostato da un luogo all'altro.





TFS

Desktop panel

Pannello divisorio
 da tavolo

Variety of layouts to create
multiple workstations
Layout diversi per creare
postazioni multiple



#pedralitales

Antwerp, Belgium

Project: 2021 ADV campaign

Products: Toa Folding Screen desktop panel,


Ester armchair, Toa table, Giravolta lighting



SIZES / DIMENSIONI

TFS


Desktop panel, metal structure




EXAMPLES OF COMBINATIONS / ESEMPI DI CONFIGURAZIONI



U



L



S

FINISHES / FINITURE

steel / acciaio

fabrics / tessuti



NEF

→ see booklet for finishes
vedi catalogo finiture



Ypsilon Connect

Multifunctional panel

DESIGN
Jorge Pensi Design Studio, 2020

EN — Ypsilon Connect is an elegant and functional self-supporting, sound absorbing partition panel characterised by sound absorbing panels that are shaped around a structure formed by two die-cast aluminium bases and extruded aluminium columns. One of the greatest strengths of this product lies in its extensive customisation possibilities thanks to which users can create ever new layouts, manage their spaces more effectively and create welcoming office spaces or functional training and meeting rooms.

IT — Ypsilon Connect è un elegante e funzionale pannello divisorio fonoassorbente autoportante che si caratterizza per la presenza di pannelli fonoassorbenti sostenuti da una struttura formata da due basi in pressofusione di alluminio e colonne in estruso di alluminio. Punto di forza di questo prodotto è il massimo grado di personalizzazione che offre, definendo abilmente nuovi layout, gestendo gli spazi e riadattando gli uffici a situazioni di formazione aziendale o meeting room.






Space divider

Pannello divisorio

Free standing acoustic panel on castors
Pannello fonoassorbente
autoportante su ruote



Structure formed by two die-cast aluminium bases and extruded aluminium columns
Struttura formata da due basi in pressofusione di alluminio e colonne in estruso di alluminio





Tv screen holder
Predisposizione per
fissaggio monitor





Available with castors or feet
Disponibile con ruote o con piedini



Supersalone

Salone Internazionale
del Mobile 2021
Milan, Italy

Project: Exhibition stand

Architect: CalviBrambilla

Products: Ypsilon Connect space divider,
Boxie storage system, Toa table, Toa Folding Screen
desktop panel, Babila XL armchair, Remind side chair

YC_L110

Space divider, aluminium structure with castors



YCL_L110

Space divider with magnetic whiteboard, aluminium structure with castors



YC_L150

Space divider, aluminium structure with castors



YCL_L150

Space divider with magnetic whiteboard, aluminium structure with castors



YC

on castors



YCF

on feet



YC06

Hooks set




YC01

Middle height shelf



YC02

Upper two-tier shelves



*TV screen / monitor

FINISHES / FINITURE

aluminium / alluminio

powder coated / verniciato

solid laminate / stratificato



LU
Polished
Lucidato



B100



NERO



CFP_BI



FNP_NE

Anti-fingerprint finish
Finitura anti-impronta

fabrics / tessuti

→ see booklet for finishes
vedi catalogo finiture



Ray

Natural gesture

DESIGN
Pio e Tito Toso, 2018


EN — Ray is a freestanding coat stand that masterfully combines flowing lines, accentuating the beauty of the ash wood, with the functionality of an indispensable everyday object for a variety of interior spaces.

IT — Ray è un appendiabiti da terra, capace di sintetizzare in maniera ottimale una forma fluida, in grado di mettere in risalto la bellezza del frassino, e la funzionalità propria di un oggetto di uso quotidiano indispensabile all'interno di contesti diversi.



Coat stand

Appendiabiti da terra





Variable thickness
plywood arms
Bracci in multistrato
a spessore variabile




#PedraliPalaceofWonders

Salone del Mobile. Milano 2019
Milan, Italy

Project: Exhibition stand
Architect: CalviBrambilla
Products: Ray coat stand,
Elinor table, Ester armchair

5166

Coat stand, steel stem
and ash wood hooks



FINISHES / FINITURE

lacquered ash with visible grains
frassino laccato a poro aperto

coated ash
frassino verniciato



AN
Black
Nero



FR
Bleached ash
Frassino sbiancato



N1
Light walnut
Noce chiaro

powder coated / verniciato

→ see booklet for finishes
vedi catalogo finiture



Pedrali Poetry of Elements

Orgatec 2018
Cologne, Germany

Project: Exhibition stand

Architect: CalviBrambilla


Product: Ray coat stand, Nym side chair and armchair,
Arki-Table, Snooze sound absorbing panel

Flag

Hang up your ideas

DESIGN
Pio e Tito Toso, 2014

EN — Flag is a collection of coat stands and wall coat hangers that are the result of the synthesis between form and function. The base and column are made of powder-coated steel, while the hooks are made of polypropylene charged with fiberglass. Flag can adapt to various contexts: public spaces, offices as well as domestic environments.
IT — Flag è una collezione di appendiabiti frutto della sintesi di forma e funzione. La base e la colonna sono in acciaio verniciato, mentre i ganci sono realizzati in polipropilene caricato fibra di vetro. Flag si adatta a molteplici contesti: dagli spazi pubblici, agli uffici, agli ambienti domestici.





WAITING





WORKING



Coat stand



Appendiabiti da terra





Coat hanger

Appendiabiti da parete





Expo Sistema Bergamo

Expo Milano 2015
Milan, Italy

Project: Temporary installation

Architect: Francesca Perani

Products: Flag coat stand,
Zippo modular seating,
Tweet armchair, Arki-Table,
Stylus table, Ara Lounge armchair,
Wow pouf





Light Frames

Salone Internazionale del Mobile 2015
Milan, Italy

Project: Exhibition stand

Architect: Migliore+Servetto Architects

Products: Flag coat stand and coat hanger



Private Office

Desenzano del Garda, Italy

Project: Office

Products: Flag coat stand,
Arki-Table, Tweet side chair



Unit 4

Stockholm, Sweden

Project: Office
Products: Flag coat hanger,
 Noa armchair, Social Plus
 modular seating,
 L001 lighting

SIZES / DIMENSIONI


5145

Coat stand, steel bar
and polypropylene arms



5144B

Coat stand, steel bar
and polypropylene arms




5141B

Bags-hanger, steel bar
and polypropylene arms



5150W4

Coat hanger, steel bar
and polypropylene hooks




5150W8

Coat hanger, steel bar
and polypropylene hooks



5150W12

Coat hanger, steel bar and polypropylene hooks



FINISHES / FINITURE

polypropylene and powder coated steel / polipropilene e acciaio verniciato



*for coat stand / per appendiabiti da terra

Voilà

Let's stay

DESIGN
Pedrali R&D, 2007

EN — The movement made to hang a coat is simple and immediate.
This is Voilà: a coat stand with a base, a column and arms made of
laser-cut, brushed stainless steel. It features transparent methacrylate
discs fixed to the arms to make it extremely functional.

IT — Il gesto che si compie nell'appendere un cappotto
è semplice e immediato. Così è Voilà:
un appendiabiti con base, colonna e braccia
realizzate in acciaio inox satinato tagliato
al laser. Caratteristici dischi in metacrilato
trasparente sono fissati alle braccia rendendo
questo oggetto estremamente funzionale.




Coat stand

Appendiabiti da terra




5130





5130

Coat stand, stainless steel base
column and arms, methacrylate discs



FINISHES / FINITURE

stainless steel / acciaio inox

methacrylate / metacrilato



AC
Brushed
Satinato



TR



RT

Inox

Crowd control columns

DESIGN
Pedrali R&D, 2020

EN — Inox crowd control columns are simple and versatile. The supporting columns are made of stainless steel and support a red rope by means of cable lugs.

Inox is versatile and functional in all situations where there is the need to regulate the flow of people or to ensure privacy.


IT — Le transenne segnapercorso Inox sono semplici e flessibili.

Le colonne portanti sono realizzate in acciaio inox e sostengono, attraverso i capicorda, una corda di colore rosso.

Inox è versatile ed efficace per tutte quelle situazioni in cui è necessario regolamentare i flussi di persone o per garantire la privacy.

Crowd control columns

Transenne segnapercorso






Interlock for 4 stainless steel cable lugs
Incastro per 4 capicorda in acciaio inox

5171

Stainless steel base and column




K_5170_LINK/RO_3

Rope kit



K_5170.10

Signage support kit



FINISHES / FINITURE

stainless steel / acciaio inox

any standard colour in powder coated finish
verniciato in tutti i colori standard



AC
Brushed
Sabbiato

→ see finiture catalogue
vedi catalogo finiture



Boxie

Storage in motion

DESIGN

Claudio Dondoli - Marco Pucci, 2018

EN — With its minimal, essential lines, Boxie is remarkable for its lightness, ensured by a steel structure containing drawers, alternated with tops, both made out of polypropylene. Designed to be configured differently according to the selected combination of its elements, the rounded corners and the visible frame are strong points that can be appreciated from any side of Boxie.

IT — Boxie è un sistema contenitore dai tratti essenziali e minimali che si contraddistingue per la sua leggerezza garantita da una struttura in acciaio all'interno della quale vengono collocati cassetti alternati a piani, entrambi realizzati in polipropilene. Pensata per assumere conformazioni diverse in base alla combinazione dei suoi elementi, la rotondità degli angoli e la struttura a vista sono punti di forza apprezzabili da ogni lato di Boxie.





Storage system

Sistema contenitore



#PedraliPalaceofWonders

Salone del Mobile.Milano 2019
Milan, Italy

Project: Exhibition stand

Architect: CalviBrambilla

Products: Boxie storage system, Flag coat stand,
Arki-Table Adjustable, Temps task chair,
Shooze sound absorbing panel





Pedrali Poetry of Elements

Maison & Objet 2019
Paris, France

Project: Exhibition stand

Architect: Calvi Brambilla

Product: Boxie storage system,
Ray coat stand

SIZES / DIMENSIONI

BXL_2C

Polypropylene storage system
2 drawers, steel frame



BXM_3C

Polypropylene storage system
3 drawers, steel frame



BXH_4C

Polypropylene storage system
4 drawers, steel frame



BXL_1C

Polypropylene storage system
1 drawer and 1 top, steel frame



BXM_2C

Polypropylene storage system
2 drawers and 1 top, steel frame




BXH_3C

Polypropylene storage system
3 drawers and 1 top, steel frame




FINISHES / FINITURE

polypropylene / polipropilene



powder coated / verniciato



Brik

Play with colours

DESIGN
Pio e Tito Toso, 2013

EN — Brik is a colorful and fun collection of umbrella stands, featured by a pure volume with the aim of containing in a tidy way. A functional object for rainy days, a furniture unit all the other days.

IT — Brik è un portaombrelli colorato e divertente caratterizzato da un volume puro che ha il compito di contenere con ordine. Un oggetto pratico per i giorni piovosi, un modulo d'arredo per tutte le altre giornate dell'anno.





Umbrella stand Portaombrelli



BRIK4



Modular and stackable
Modulare e impilabile



Ten holes, storing up to 20 umbrellas
Dieci fori, contiene fino a 20 ombrelli



First Floor

Brescia, Italy

Project: Office

Product: BriK umbrella stand,
Zippo modular seating, Wow pouf,
Stylus table





Green Design

Piazza Antico Lavatoio
Bergamo, Italy

Project: Temporary installation

Product: BriK umbrella stand,
Intrigo armchair, Laja table

SIZES / DIMENSIONI


BRIK

Polyethylene umbrella stand




BRIK4

Polyethylene umbrella stand



FINISHES / FINITURE

polyethylene / polietilene



BI

GC

GI

BL

VE

AR

Kado

We love green spaces

DESIGN
Pedrali R&D, 2010

EN — A seat that turns into a vase. A vase that is also a luminous object. A versatile and modern space divider. Made of polyethylene, Kado is characterized by a minimalist design.

Shock resistant and weatherproof, non-toxic and fully recyclable.

IT — Una seduta che diventa vaso. Un vaso che è anche oggetto luminoso.

Uno space divider versatile e moderno. Realizzato in polietilene, Kado è caratterizzato da linee geometriche essenziali. Resistente agli urti e agli agenti atmosferici, è atossico e completamente riciclabile.



WORKING



WORKING




Pot

Vaso







Private house

Brescia, Italy

Project: Private house

Products: Kado pot, Serif bar stool,
Bold table, Tetris bar counter

Caffè del Tasso

Piazza Vecchia
Bergamo, Italy

Project: Café & Restaurant

Products: Kado and Kado 2 pot,
Nolita side chair, lounge armchair,
chaise-longue and table



Salone Internazionale del Mobile 2011

Fiera Milano - Rho, Italy

Project: Exhibition stand

Products: Kado pot, Time Out lighting,
Snow chair, Ypsilon table, Mya side chair,
Tatami side chair, Jump table



Barbieri

Iseo, Italy


Project: Retail

Product: Kado and Kado 2 pot

SIZES / DIMENSIONI


KADO

Polyethylene pot



KADO2

Polyethylene pot



KADO_LUCE

Lighting kit only.
LED light bulb included.
13W, 6500K



KADO_TROLLEY

Steel trolley only
DEPTH: 290




KADO.3

Upholstered cushion only
DEPTH: 300



KADO_FIX

Floor fixing kit only



FINISHES / FINITURE

polyethylene / polietilene



fabrics / tessuti



BI GA2 GC BR

→ see booklet for finishes
vedi catalogo finiture



electrical features / caratteristiche elettriche

- Light KADO_LUCE: MAX 1x40W E27 HSG or FBT 220-240V 50/60Hz Cl.1 IP44

CERTIFICATES / CERTIFICAZIONI

KADO_LUCE
IEC 60598-2-4:2017 used in conjunction with IEC 60598-1:2014, AMD1:2017
IEC 60598-2-4:2017 used in conjunction with IEC 60598-1:2014, AMD1:2017
EN 60598-2-4:2018 used in conjunction with EN 60598-1:2015 + A1:2018 (test report N°0019CE19)
EN 60598-2-4:2018 used in conjunction with EN 60598-1:2015 + A1:2018 (test report N°0019CE19)



Wow

Compact versatility

DESIGN

Claudio Dondoli - Marco Pucci, 2007

EN — A sense of wonder springs to our mind on seeing the versatility of these poufs in plastic material and upholstered, which can be even converted in handy storage poufs.

IT — Un'esclamazione di meraviglia sorge spontanea di fronte alla versatilità di questi pouf-sgabelli in materiale plastico e imbottito, che possono anche trasformarsi in pratici contenitori.



Pouf





LOW TABLE / TAVOLINO



Steel base as option
Base accessoria
in acciaio

470 + 473

LUMINOUS LOW TABLE / TAVOLINO LUMINOSO




LED RGB LIGHT



Room Mate Emma

Barcelona, Spain

Project: Hotel
Product: Wow pouf,
Mies lounge armchair,
Day Dream chair, Inox table



School G. Pascoli

Turin, Italy

Project: Educational
Product: Wow pouf,
Arki-Table, Gliss armchair,
Ikon coffee table,
Malmö Lounge armchair

470

Polyethylene pouf



472

Methacrylate top



480

Polyethylene pouf



482

Methacrylate top



480 + 483

Polyethylene pouf, steel base




470 + 473

Polyethylene pouf, steel base



475

Polyethylene pouf, steel base, LED light bulb included. 13W, 6500K



475E

Polyethylene pouf, steel base, LED light bulb included. 13W, 6500K



475L

Polyethylene pouf, steel base, LED RGB strip included 4,32W



485

Polyethylene pouf, LED light bulb included. 13W, 6500K



485E

Polyethylene pouf, LED light bulb included. 13W, 6500K




485L

Polyethylene pouf, LED RGB strip included 4,32W



486

Polyethylene pouf, methacrylate top, steel base, LED light disk included 24W 4000K



polyethylene / polietilene



methacrylate / metacrilato



powder coated / verniciato



steel / acciaio

LED



electrical features / caratteristiche elettriche

- **Light 475-485:** MAX 1x40W HSG or FBT E27 220-240V 50/60Hz Cl.1 IP20
- **Light 475E-485E:** MAX 1x40W E27 HSG or FBT 220-240V 50/60Hz Cl.1 IP44
- **Light 486:** MAX 1x25W FBC E27 220-240V 50/60Hz Cl.1 IP20
- **Light 475L-485L:** 4,32W LED 220-240Vac/24Vdc Cl.2 IP40

CERTIFICATES / CERTIFICAZIONI

475 - 485
IEC 60598-2-4:2017 used in compliance with IEC 60598-1:2014, AMD1:2017 / EN 60598-2-4:2018 used in conjunction with EN 60598-1:2015 + A1:2018 (best report N°0017CE19)
IEC 60598-2-4:2017 usato in conformità con IEC 60598-1:2014, AMD1:2017 / EN 60598-2-4:2018 usato in conformità con EN 60598-1:2015 + A1:2018 (best report N°0017CE19)

475E - 485E
IEC 60598-2-4:2017 used in compliance with IEC 60598-1:2014, AMD1:2017 / EN 60598-2-4:2018 used in conjunction with EN 60598-1:2015 + A1:2018 (best report N°0018CE19)
IEC 60598-2-4:2017 usato in conformità con IEC 60598-1:2014, AMD1:2017 / EN 60598-2-4:2018 usato in conformità con EN 60598-1:2015 + A1:2018 (best report N°0018CE19)

486
IEC 60598-2-4:2017 used in compliance with IEC 60598-1:2014, AMD1:2017 / EN 60598-2-4:2018 used in compliance with EN 60598-1:2015 + A1:2018 (best report N°0013CE19)
IEC 60598-2-4:2017 usato in conformità con IEC 60598-1:2014, AMD1:2017 / EN 60598-2-4:2018 usato in conformità con EN 60598-1:2015 + A1:2018 (best report N°0013CE19)

475L - 485L
EN 60598-2-4:1997 + EN 60598-2-6:1994+A1:1997 used in compliance with EN 60598-1:2008 (best report N°0244CE09)
EN 60598-2-4:1997 + EN 60598-2-6:1994+A1:1997 usato in conformità con EN 60598-1:2008 (best report N°0244CE09)



Parenthesis

Instant classic

DESIGN
Marco Poggi - Claudio Dondoli, 2014

EN — Being an end table, a coffee table and a bedside table, Parenthesis is a versatile and multipurpose piece of furniture suitable to be used in different contexts. Two curved side elements that come together to create a geometric structure.

IT — Contenitore a giorno o comodo piano, coffee table o comodino, Parenthesis è un elemento d'arredo versatile adatto a diversi contesti e soluzioni d'uso. Due parentesi tonde che si combinano assumendo la forma di elementi geometrici.



Coffee table

Tavolino



Bedside table
Comodino
h 640 mm

P10002




Solid laminate top,
oak veneered plywood sides
Ripiano in stratificato e fianchi
in multistrato impiallacciato rovere

P10005



Marble top,
oak veneered plywood sides
Ripiano in marmo e fianchi
in multistrato impiallacciato rovere

P10002



Fenix® top surface anti-printing finish
Ripiano in Fenix® con finitura anti-impronta

P10006


P10001

Day container, oak
veneered plywood sides,
solid laminate / marble top




P10002

Bedside table, oak
veneered plywood sides,
solid laminate / marble top




P10005

Coffee table, oak
veneered plywood sides,
solid laminate / marble top



P10006

Coffee table, oak
veneered plywood sides,
solid laminate / marble top



FINISHES / FINITURE

solid laminate top / ripiano in stratificato



CFP_BI



234



FNP_NERO
Anti-Fingerprint
Anti-impronta



MBC



MVG



MED



MGC

marble top / ripiano in marmo

coated oak sides

fianchi in rovere verniciato



RS
Bleached oak
Rovere sbiancato

lacquered oak sides with visible grains

fianchi in rovere laccato a poro aperto



BI
White
Bianco



GC
Light grey
Grigio chiaro



AN
Black
Nero

Oblique

Convergent balance

DESIGN
Pedrali R&D, 2016

EN — A modular bar counter in polyethylene, with sharp and converging lines, that features an oblique front side allowing the user to approach. Consisting of linear and corner units both available white or anthracite grey, the Oblique is supplied with adjustable feet to ensure a perfect horizontal alignment.

IT — Un bancone modulare in polietilene dalle linee decise e convergenti, che si presenta obliquo nella parte frontale per agevolare l'avvicinamento dell'utente. Composto da moduli lineari e angolari di colore bianco opalino o grigio antracite, Oblique è provvisto di piedini regolabili per garantire un perfetto allineamento orizzontale.





Bar counter: bancone Oblique
Barstool: sgabello Woody
Lighting: lampada L001

Bar counter

Bancone bar







Pedrali Urban Life

Salone Internazionale
del Mobile 2016
Milan, Italy

Project: Exhibition stand

Architect: Migliore+Servetto Architects

Products: Oblique bar counter,
Social and Social Plus modular seating


#Pedraligoodideas

Salone Internazionale
del Mobile 2018
Milan, Italy

Project: Exhibition stand

Architect: CalviBrambilla

Products: Oblique bar counter,
Colette lighting



Industrial Simphony

Pedrali Headquarters
Mornico al Serio, Italy

Project: Showroom

Architect: CalviBrambilla


Products: Oblique bar counter,
Colette lighting, Babila barstool

OBL_BI


Linear module in polyethylene

**OBA_BI corner**


Corner module in polyethylene

**OBL/A soft**


Padded version of linear module

**OBA/A soft corner**


Padded version of corner module

**IGL_LUCE**Lighting kit only,
mini ceiling light, LED light bulb
included: 13W, 4000K**TTS_LUCE**Lighting kit only,
mini ceiling light, LED light bulb
included: 13W, 4000K**OBA_SUP**Upper top only
995x995**OBA_RIP**Work top only
585x585**OBL_SUP**Upper top only
1400x345**OBL_RIP**Work top only
1400x485**K_RIP_INF**Lower tops only
1250x455**OBL_LINK**Connection kit only
for linear bar counter**OBA_LINK**Connection kit only
for linear bar counter

polyethylene / polietilene



methacrylate / metacrilato



fabrics / tessuti



→ see booklet for finishes

vedi catalogo finiture



electrical features / caratteristiche elettriche

- Light IGL_LUCE, TTS_LUCE: MAX 1x21W FD G5 220-230V Cl.2 IP44

CERTIFICATES / CERTIFICAZIONI

IGL_LUCE
IEC 60598-2-4:2017 used in compliance with IEC 60598-1:2014, AMD1:2017
EN 60598-2-4:2018 used in conjunction with EN 60598-1:2015 + A1:2018 (test Report N° 0023CE19)
IEC 60598-2-4:2017 usato in conformità con IEC 60598-1:2014, AMD1:2017
EN 60598-2-4:2018 usato in conformità con EN 60598-1:2015 + A1:2018 (test Report N° 0023CE19)

TTS_LUCE
IEC 60598-2-4:2017 used in compliance with IEC 60598-1:2014, AMD1:2017
EN 60598-2-4:2018 used in conjunction with EN 60598-1:2015 + A1:2018 (test report N° 0021CE19)
IEC 60598-2-4:2017 usato in conformità con IEC 60598-1:2014, AMD1:2017
EN 60598-2-4:2018 usato in conformità con EN 60598-1:2015 + A1:2018 (test report N° 0021CE19)



Igloo

Icy design

DESIGN
Pedrali R&D, 2013

EN — The traditional snow hut of the Eskimo turns into a polyethylene bar counter with a clean and minimalist design. The Igloo Workstation is equipped with a cocktail bar station and it is the perfect solution for clubs as well as indoor or outdoor catering services.

IT — La tradizionale cupola di neve eschimese diventa un banco bar dal design semplice e pulito realizzato in polietilene. La versione Igloo Workstation è attrezzata per la preparazione di cocktail e rappresenta la soluzione ideale per locali e per catering indoor e outdoor.



Bar counter

Bancone bar









Green Design

Piazza Vecchia
Bergamo, Italy

Project: Temporary installation

Products: Igloo bar counter,
Time Out lighting



Best Western Brescia Est

Brescia, Italy


Project: Hotel

Products: Igloo bar counter,
Rubik barstool, Host modular seating,
Happy Apple lighting



IGL_BI/RIP_BI


Linear module in polyethylene with stainless steel top

**IGLC_CONSOLLE**


Console module in polyethylene with stainless steel top

**IGLC_CORNER**

Corner module in polyethylene with stainless steel top

**IGL_WORKSTATION**

Linear module in polyethylene with workstation

**IGL_SUP_MET_BI**Upper top only
1400x400**K_RIP_INF_BI100E**Lower tops only
1250x455**IGL_LUCE**Lighting kit only
Mini ceiling light, LED light bulb
included: T3W, 4000K**IGLC_LUCE**Lighting kit only
Mini ceiling light, LED light bulb
included: T3W, 4000K

polyethylene / polietilene



BI

powder coated / verniciato



BI100E

methacrylate / metacrilato



BI

stainless steel / acciaio inox

AC
Satinized
Satinato

electrical features / caratteristiche elettriche

- Light IGL_LUCE: MAX 1x21W FD G5 220-230V Cl.2 IP44
- Light IGLC_LUCE: MAX 1x21W G5 230-240V 50/60Hz IP44 Class II

CERTIFICATES / CERTIFICAZIONI

IGL_LUCE
IEC 60598-2-4:2017 used in compliance with IEC 60598-1:2014, AMD1:2017
EN 60598-2-4:2018 used in conjunction with EN 60598-1:2015 + A1:2018 (test Report N° 0023CE19)
IEC 60598-2-4:2017 usato in conformità con IEC 60598-1:2014, AMD1:2017
EN 60598-2-4:2018 usato in conformità con EN 60598-1:2015 + A1:2018 (test Report N° 0023CE19)

IGLC_LUCE
EN 60598-2-4:1997 used in compliance with EN 60598-1:2014 (test report N°0231CE14)
EN 60598-2-4:1997 usato in conformità con EN 60598-1:2014 (test report N°0231CE14)



Iceberg

Icy design

DESIGN

Marco Pucci - Claudio Dondoli, 2011


EN – Shaped like a block of ice, this modular bar counter is the heart of a convivial environment like a bar by a pool, a beach or a garden. Made in high-density roto-molded polyethylene, the modules of the Iceberg can be combined to create highly suggestive luminous compositions.

IT – Un banco bar modulare che assume la forma di un blocco di ghiaccio diventa il fulcro di aggregazione in contesti conviviali quali bar all'aperto a bordo piscina, in spiaggia o in giardino. Realizzati in polietilene ad alta densità stampati in rotomoulding, i moduli di Iceberg sono atti a dare vita a composizioni luminose di grande suggestione.



Bar counter

Bancone bar



Temporary installation

Brescia, Italy

Project: Temporary installation

Products: Iceberg bar counter,
Rubik barstool





Temporary installation

Brescia, Italy

Project: Temporary installation

Product: Iceberg bar counter,
Rubik barstool, Ara side chair,
Ypsilon table

SIZES / DIMENSIONI

IBE_BI

Linear module in polyethylene



IBE_SUP_MET_BI

Upper top only 1585x785



IBE_INF__BI

Lower tops only 2x(600x280)



IBE_LUCE

Lighting kit only,
2 LED lights bulbs included: 13W, 6500K



electrical features


caratteristiche elettriche

- Light IBE_LUCE: MAX 2x23W FBT E27 220-240V 50/60Hz Cl.1 IP44




EXAMPLES OF COMBINATIONS / ESEMPLI DI CONFIGURAZIONI

Linear / Lineare



Corner / Angolare



Circular / Circolare



FINISHES / FINITURE

polyethylene / polietilene



methacrylate / metacrilato



powder coated / verniciato



BI



BI



BI100E

CERTIFICATES / CERTIFICAZIONI

IBE_LUCE
IEC 60598-2-4:2017 used in conjunction with IEC 60598-1:2014, AMD1:2017
EN 60598-2-4:2018 used in conjunction with EN 60598-1:2015 + A1:2018 (Test Report N° 0009CE18)
IEC 60598-2-4:2017 usato in conformità con IEC 60598-1:2014, AMD1:2017
EN 60598-2-4:2018 usato in conformità con EN 60598-1:2015 + A1:2018 (Test Report N° 0009CE18)



Tetris

Glamorous cocktail

DESIGN

Marco Pucci - Claudio Dondoli, 2010

EN — A modular bar counter in white polyethylene. Designed to be used both indoors and outdoors, Tetris is a shock resistant, low-maintenance and weatherproof product. It can be equipped with a worktop in brushed stainless steel. Thanks to the translucent colour of the polyethylene, there is a luminous version of the counter that makes it a scenic element.

IT — Un banco bar modulare realizzato in polietilene bianco. Pensato per essere collocato sia in ambienti indoor sia outdoor, Tetris è resistente agli urti e agli agenti atmosferici ed è di facile manutenzione. Può essere fornito di un piano di lavoro e di un servizio in acciaio inox satinato. È disponibile anche una versione luminosa che, grazie al colore neutro del polietilene, rende questo bancone un elemento scenografico.



Bar counter

Bancone bar





Raddison Blu Park Hotel

Athens, Greece

Project: Hotel

Products: Tetris bar counter

Private house

Brescia, Italy

Project: Private house

Products: Tetris bar counter,

Serif barstool, Bold table



Temporary installation

Brescia, Italy

Project: Outdoor

Products: Tetris bar counter,
Happy barstool



SIZES / DIMENSIONI


TTS_BI

Linear module in polyethylene



TTSA_BI corner

Corner module in polyethylene



TTS_SUP_130/140/150/185

Upper top only 1285, 1370, 1445, 1850 x 310



TTS_RIP

Work top only 1225x328



TTS_INF

Lower top only 1205x360



TTS_LUCE

Lighting kit only, Mini ceiling light



electrical features / caratteristiche elettriche

- Light TTS_LUCE: MAX 1x21W FD G5 220-230V Cl.2 IP44

FINISHES / FINITURE

polyethylene / polietilene 

stainless steel / acciaio inox 

powder coated / verniciato



BI



AC



BI100

CERTIFICATES / CERTIFICAZIONI

TTS_LUCE

IEC 60598-2-4:2017 used in compliance with IEC 60598-1:2014, AMD1:2017 / EN 60598-2-4:2018 used in compliance with EN 60598-1:2015 + A1:2018 (test report N° 0021CE19)
IEC 60598-2-4:2017 usato in conformità con IEC 60598-1:2014, AMD1:2017 / EN 60598-2-4:2018 usato in conformità con EN 60598-1:2015 + A1:2018 (test report N° 0021CE19)



Pedrali Complements | Edition 2022

Creative & design direction Leftfit

Copyright © 2022, Pedrali S.p.A. All rights reserved

Photo credits

BHM Studio
Beppe Brancato
Mattia Paganì
Ottavio Tomasinì

Andrea Guermani
Francesca Perani
Filippo Romano
Nava-Rapacchietta

Thanks to

Alessi
Delsey

Styling

Elena Caponi
Elena Mora
Sissi Valassina

Pesi, dimensioni e colori sono indicativi. Pedrali si riserva la facoltà di apportare modifiche o migliorie senza alcun preavviso.

Weights, measurements and colours are indicative. Pedrali reserves the right to modify or upgrade the products without prior notice.

Industrial property right | Diritto di proprietà industriale

I contenuti del presente catalogo, quali, a titolo esemplificativo, le opere, le immagini, le fotografie, i documenti, i disegni, le figure, i loghi ed ogni altro materiale, in qualsiasi formato, pubblicato sono protetti a livello mondiale dal diritto d'autore e da ogni altro diritto di proprietà intellettuale di PEDRALI.

The contents of the present catalogue such as, by way of example, the works, the images, the pictures, the documents, the drawings, the forms, the logos and all other materials, published in any format, are worldwide protected by copyrights and any other industrial intellectual property right of Pedrali.